

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated


Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight 0950-4462

The Agilent/Keysight 0950-4462 is a power supply known for providing reliable and stable power for various electronic testing and measurement applications. This power supply is engineered to meet the demanding requirements of laboratory and industrial environments, ensuring accurate and consistent results.



MODEL

**Agilent / Keysight
0950-4462**

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

0950-4462

LISTING

<https://aumictechlabs.com/products/0950-4462-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Agilent/Keysight 0950-4462 is a modular power supply unit engineered for integration into Agilent/Keysight test and measurement systems. Part of the Celestica 5100 Series, this internal power module delivers stable, regulated power essential for accurate operation of complex electronic test equipment in laboratory and industrial environments. Technical Specifications Model: 0950-4462 Series: Celestica 5100 Series Type: Modular power supply Power Rating: 400 W, 700 W, or 500 W (configuration-dependent) Input Voltage: 115 VAC to 230 VAC (autodetecting) Input Power Connection: Three-wire power cable with ground Form Factor: Modular unit for internal system integration Key Features Autodetecting line voltage input accommodates both 115 VAC and 230 VAC installations without manual reconfiguration Grounded three-wire power connection ensures proper electrical safety in test environments Modular architecture allows seamless integration into larger instrument platforms Typical Applications The 0950-4462 provides DC power regulation for logic analysis systems and other modular

Agilent/Keysight test instruments requiring stable, filtered power delivery in demanding measurement applications. Compatibility & Integration Primarily specified for use in the Agilent/Keysight 16900A Logic Analysis System. Compatible with other Agilent/Keysight equipment requiring this specific power output configuration and internal form factor. The 16900A system, which incorporates this supply, supports LAN (10/100 BaseT, optional Gbit LAN), USB 1.1, parallel, serial, external video, calibration BNC, and Clock in BNC connectivity.

09504462 Characteristics / Specifications

PARAMETER	VALUE
Model	0950-4462
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 0950-4462
Sku	0950-4462
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	0950-4462
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	0950-4462
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 0950-4462
Sku	0950-4462
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	0950-4462
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: **sales@aumictech.com** · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.