

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight 34131A

Agilent/Keysight 34131A Overview This listing is a catalog accessory or spare in the Agilent / Keysight catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Applications Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.



MODEL

**Agilent / Keysight
34131A**

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

34131A

LISTING

<https://aumictechlabs.com/products/34131a-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Agilent/Keysight 34131A is a transit case engineered to protect 2-slot, half-rack sized test instruments during transport and storage. Built from rugged ABS polymer with a hard-cover design, it delivers durability where it counts - steel latches, rubber-grip steel handles, and padlock capability ensure secure closure and handling. The foam-molded interior accommodates most Keysight and Agilent half-rack instruments with dedicated storage space beneath for manuals and accessories.

Technical Specifications

Construction & Materials ABS polymer hard-cover housing Steel latches and rubber-grip steel handles Padlock-capable for enhanced security Foam-molded interior cavity

Dimensions & Weight Outer: 10 inches (H) × 20 inches (W) × 15.5 inches (D) Weight: 14 lbs

Key Features The case accommodates most 2-slot, half-rack sized instruments with factory foam molding - no custom fitting required. Internal geometry leaves room for supporting documentation and small accessories. Steel construction on handles and latches withstands field handling. Padlock provisions add security for

unattended storage or transport. Typical Applications Field service technicians, calibration labs, manufacturing test floors, and R&D environments benefit from secure instrument transportation. The case protects sensitive electronics during vehicle transport, between test stations, and in temporary storage.

Compatibility & Integration The 34131A fits the full range of Keysight and Agilent 2-slot, half-rack products:

- DMMs: 34460A, 34461A, 34401A, 34410A, 34411A, 34420A
- Data Acquisition: 34970A, 34972A
- Frequency Counters: 531xxA, 53200 Series, 53131A, 53132A, 53181A
- Function Generators: 33120A, 33220A, 33250A, 33521A, 33522A, 33500B Series
- Power Supplies: E3600 series

All other 2-slot, half-rack Keysight and Agilent instruments

34131A Characteristics / Specifications

PARAMETER	VALUE
Model	34131A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34131A
Sku	34131A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34131A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	34131A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34131A
Sku	34131A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34131A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: **sales@aumictech.com** · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.