

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight 34161A

Agilent/Keysight 34161A Overview This listing is a catalog accessory or spare in the Agilent / Keysight catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Applications Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.



MODEL

**Agilent / Keysight
34161A**

CALIBRATION

**Available on
request**

CONDITION

Used

STATUS

In stock

RFQ / SKU

34161A

LISTING

[https://aumictechlabs.c
om/products/34161a-2/](https://aumictechlabs.com/products/34161a-2/)

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Keysight 34161A is a durable accessory pouch engineered for half-rack instruments, providing organized storage for manuals, power cords, and essential field items. Constructed from Cordura® material with dual-zippered compartments, the pouch mounts securely to compatible instrument chassis via nylon straps and Velcro closures, keeping accessories readily accessible without consuming bench space. Technical Specifications Material: Cordura® Closure Type: Zipper Attachment Method: Nylon straps with Velcro closures Dimensions: 11 inches × 8 inches × 1.5 inches (279.4 mm × 203.2 mm × 38.1 mm) Key Features Dual-zippered compartments enable logical segregation of different accessory types Velcro-secured nylon straps eliminate rigid mounting while maintaining secure positioning Compact profile - 1.5 inches depth - preserves instrument accessibility and workspace efficiency Cordura® construction resists abrasion in

laboratory and production environments

Typical Applications The 34161A addresses organizational challenges in instrumentation labs and production test stations. It consolidates documentation, spare cables, and consumables at the point of use, reducing search time and minimizing cable management clutter. Particularly valuable in multi-instrument setups where standardized accessory storage accelerates changeovers.

Compatibility & Integration Designed for 2-slot, half-rack-sized Keysight instruments across multiple product families:

- Digital Multimeters: 34401A, 34420A
- Data Acquisition/Switch Units: 34970A, 34972A
- Function Generators: 33120A, 33250A
- Counters: 53131A, 53132A, 53181A
- Power Supplies: E3600 series

Other half-rack 2-slot products of compatible dimensions

The pouch mounts to instrument tops without modification, supporting hot-swap configurations typical of modular test environments.

34161A Characteristics / Specifications

PARAMETER	VALUE
Model	34161A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34161A
Sku	34161A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34161A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	34161A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34161A
Sku	34161A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34161A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.