

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight 34162A

Agilent/Keysight 34162A Overview This listing is a catalog accessory or spare in the Agilent / Keysight catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Applications Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.



MODEL

**Agilent / Keysight
34162A**

CALIBRATION

**Available on
request**

CONDITION

Used

STATUS

In stock

RFQ / SKU

34162A

LISTING

<https://aumictechlabs.com/products/34162a-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Keysight 34162A is an accessory pouch engineered to store and organize manuals, power cords, test leads, and other accessories for compatible Keysight digital multimeters and function/arbitrary waveform generators. Designed to mount directly onto the top surface of 2-slot, half-rack sized instruments, it delivers convenient, integrated storage without consuming bench space. Technical Specifications Material: Cordura® Dimensions: 9 inches × 8 inches × 1.5 inches (229 × 203 × 38 mm) Compartments: Dual zippered compartments Closure System: Zippered compartments with nylon strap attachment Fastening Method: Nylon straps with Velcro closures Key Features Durable Cordura® construction withstands field and laboratory environments Dual zippered compartments enable organized segregation of accessories Velcro-secured nylon straps provide stable mounting to instrument housing Compact form factor

maintains accessibility to instrument controls and connectors Designed to fit standard 2-slot, half-rack form factors Typical Applications Storage of operator manuals and quick-reference guides Organization of detachable power cords and AC adapters Secure containment of test leads, probes, and measurement accessories On-instrument accessory management for portable or lab-based deployments Compatibility & Integration The 34162A pouch can mount on top of the following instruments: Digital Multimeters: 34460A 34461A 34401A 34405A 34410A 34411A Function/Arbitrary Waveform Generators: 33210A 33220A Additional compatibility extends to most 2-slot, half-rack sized Keysight instruments meeting standard form-factor requirements.

34162A Characteristics / Specifications

PARAMETER	VALUE
Model	34162A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34162A
Sku	34162A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34162A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	34162A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 34162A
Sku	34162A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	34162A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.