

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight 35181KZ

Agilent/Keysight 35181KZ Overview This listing is a catalog accessory or spare in the Agilent / Keysight catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Applications Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

**MODEL****Agilent / Keysight
35181KZ****CALIBRATION****Available on
request****CONDITION****Used****STATUS****In stock****RFQ / SKU****35181KZ****LISTING**<https://aumictechlabs.com/products/35181kz-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Keysight 35181KZ is a work surface accessory engineered to extend the functionality of Keysight Testmobile carts. Fabricated from cold-rolled steel and finished in quartz gray, this mounting surface expands available workspace for instrument accessories, tools, and documentation during laboratory and field testing operations. The unit attaches directly to a Testmobile tilt tray with all required mounting hardware supplied, and stores conveniently when not in use.

Technical Specifications
Dimensions: 533 mm (21 inches) length × 305 mm (12 inches) depth
Material: Cold-rolled steel
Weight: 4.99 kg (11 lbs)
Finish: Quartz gray
Mounting: Attaches to Testmobile tilt tray
Included Hardware: All mounting hardware provided

Key Features
Stable surface construction supports instrument placement and note-taking workflows
Cold-rolled steel

construction delivers durability in demanding laboratory environments Compact footprint integrates with existing Testmobile cart infrastructure Stores away when not required, minimizing workspace clutter Complete hardware package eliminates sourcing additional fastenersTypical Applications Extended workspace for technicians executing complex test setups Accessory staging area during instrument configuration and troubleshooting Documentation surface for logging measurements and test parameters in field deployments Multi-function work area supporting concurrent testing and administrative tasksCompatibility & Integration The 35181KZ works with direct integration with Keysight Testmobile carts and compatible tilt tray assemblies. Installation requires no additional adapters or modification to existing platforms.

35181KZ Characteristics / Specifications

PARAMETER	VALUE
Model	35181KZ
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 35181KZ
Sku	35181KZ
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	35181KZ
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	35181KZ
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight 35181KZ
Sku	35181KZ
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	35181KZ
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.