

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

AGILENT / KEYSIGHT

Agilent/Keysight Y1132A

Agilent/Keysight Y1132A Overview This listing is a catalog accessory or spare in the Agilent / Keysight catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Applications Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

**MODEL****Agilent / Keysight
Y1132A****CALIBRATION****Available on
request****CONDITION****Used****STATUS****In stock****RFQ / SKU****Y1132A****LISTING**<https://aumictechlabs.com/products/y1132a-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Y1132A is a module extender accessory designed to extend the backplane of the Keysight 34980A Multifunction Switch/Measure Unit outside the instrument chassis. This extender enables convenient servicing and access to plug-in modules without removing the mainframe from its rack installation. The Y1132A comprises a backplane extender module that installs within the 34980A and an external probing board, connected via supplied ribbon cables.

Technical Specifications
Product Type: Module Extender
Compatibility: Keysight 34980A Multifunction Switch/Measure Unit
Primary Interface: Ribbon cable connections between backplane extender and external probing board

Key Features
Extends 34980A backplane outside the mainframe chassis for remote module access
Eliminates need to remove mainframe from rack during module servicing
Two-component architecture: internal backplane extender module and external probing board

Interconnected via provided ribbon cables for reliable signal routing
Typical Applications Servicing plug-in modules within the 34980A without mainframe extraction
Accessing modules in rack-mounted configurations where chassis removal is impractical
Supporting measurement and switching operations that require external module access
Compatibility & Integration The Y1132A integrates with the Keysight 34980A platform, which supports RF and microwave applications with some plug-in modules capable of operating to 26.5 GHz. An SMA extender is available as an accessory for extending SMA connector interfaces. The Y1132A ribbon cable interface maintains backplane signal integrity while providing physical separation between the mainframe and external test points.

Y1132A Characteristics / Specifications

PARAMETER	VALUE
Model	Y1132A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight Y1132A
Sku	Y1132A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	Y1132A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	Y1132A
Brand	Agilent / Keysight
Catalog Title	Agilent/Keysight Y1132A
Sku	Y1132A
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	Y1132A
Manufacturer Line	Agilent / Keysight
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.