

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

ALCATEL LUCENT

Alcatel Lucent PS-360W-AC-E

The Alcatel Lucent PS-360W-AC-E is a power supply unit designed for Alcatel Lucent networking equipment. It provides 360W of AC power to ensure reliable operation of compatible systems.



MODEL

Alcatel Lucent PS-360W-AC-E

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

PS-360W-AC-E

LISTING

<https://aumictechlabs.com/products/ps-360w-ac-e-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Alcatel Lucent PS-360W-AC-E is a 360 W AC power supply unit engineered to deliver primary and redundant power distribution for OmniSwitch 6850 series networking equipment. This unit has integrated system power and Power over Ethernet (PoE) capabilities from a single supply, enabling flexible deployment architectures in carrier-class switching environments. Technical Specifications Power Output: 360 W Input Voltage Range: 100–240 V AC Output Function: System power and PoE distribution Installation Mode: Configurable as primary or redundant supply Key Features Dual-mode operation supports primary and redundant power configurations Wide AC input range accommodates global utility standards Integrated PoE output eliminates requirement for external injectors Single power connector simplifies installation and cabling Typical Applications Redundant power architectures in OmniSwitch 6850 deployments PoE distribution to connected access devices Primary supply operation in simplex configurations High-availability switching environments requiring fault tolerance Compatibility & Integration Designed specifically

for Alcatel Lucent OmniSwitch 6850 series platforms, including the OmniSwitch 6850E-P48. Mounting and connector specifications align with chassis requirements of supported switch models.

PS360WACE Characteristics / Specifications

PARAMETER	VALUE
Model	PS-360W-AC-E
Instrument Type	AC power supply
Output Power	360 W
Input Type	AC
Build	E
Manufacturer	Alcatel Lucent
Literature	Alcatel Lucent PS-360W-AC-E listings
Family	Alcatel-Lucent PS-360W
Brand Lineage	Alcatel Lucent
Form Factor	chassis power module
System Role	360 W AC-DC
Application Class	telecom/network chassis
Power Class	360 W
Input Class	AC
Revision Class	E
Documentation Type	OEM PS-360W-AC-E listing
Vendor Path	Alcatel Lucent
Year Class	PS-360W
Rail Class	per PS-360W-AC-E label
Current Class	per nameplate
Cooling Class	per module fan
Connector Class	per chassis blind-mate
Protection Class	per PS-360W
Safety Class	per module marks
Hot Swap Class	as fitted in host

PARAMETER	VALUE
Operating Temperature Class	per telecom chassis spec
Operating temperature	Class: per telecom chassis spec

PS360WACE Specifications

PARAMETER	VALUE
Applications	360 W AC-fed power in Alcatel-Lucent chassis.
Key Features	360 W AC input supply
Technical Specifications	Model: PS-360W-AC-E

General Specifications & Supplementary Characteristics

PARAMETER	VALUE
Operating temperature	Class: per telecom chassis spec
Operating Temperature	Class: per telecom chassis spec
Operating Temperature Class	per telecom chassis spec Notes The 360 W AC rating is encoded in PS-360W-AC-E and confirmed by Alcatel-Lucent listings. Rail voltages and input current are on the module nameplate.

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	PS-360W-AC-E
Instrument Type	AC power supply
Output Power	360 W
Input Type	AC
Build	E
Manufacturer	Alcatel Lucent
Literature	Alcatel Lucent PS-360W-AC-E listings
Family	Alcatel-Lucent PS-360W
Brand Lineage	Alcatel Lucent
Form Factor	chassis power module
System Role	360 W AC-DC
Application Class	telecom/network chassis
Power Class	360 W
Input Class	AC
Revision Class	E
Documentation Type	OEM PS-360W-AC-E listing
Vendor Path	Alcatel Lucent
Year Class	PS-360W
Rail Class	per PS-360W-AC-E label
Current Class	per nameplate
Cooling Class	per module fan
Connector Class	per chassis blind-mate
Protection Class	per PS-360W
Safety Class	per module marks
Hot Swap Class	as fitted in host
Operating Temperature Class	per telecom chassis spec

Notes

The 360 W AC rating is encoded in PS-360W-AC-E and confirmed by Alcatel-Lucent listings. Rail voltages and input current are on the module nameplate.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.