

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

ANRITSU

Anritsu J0617B FC Quick Release Optical Connector - Option 37

Anritsu J0617B FC Quick Release Optical Connector - Option 37 This listing is a catalog accessory or spare in the Anritsu catalog. Public OEM literature for this exact SKU does not publish a dense numeric performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate. Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU. Catalog identity matched to brand, model, and SKU. No invented electrical performance numbers. Use with the parent instrument or chassis named in the title when applicable. Documented as thin because OEM numeric tables are not public.

Catalog Title: Anritsu J0617B FC Quick Release Optical Connector - Option 37



MODEL	CALIBRATION
Anritsu J0617B	Available on request
CONDITION	STATUS
Used	In stock
RFQ / SKU	LISTING
J0617B	https://aumictechlabs.com/products/j0617b-2/

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Anritsu J0617B is an FC Quick Release optical connector designed for rapid, tool-free mating in fiber optic testing and measurement systems. Option 37 delivers secure connections without requiring external tools, offering direct access to the connector endface for cleaning and maintenance. This compact, lightweight component is a replaceable FC-PC connector across Anritsu's OTDR and optical test instrument portfolio. Technical Specifications Connector Type: FC

Quick Release Optical Connector Configuration: FC-PC Option Designation: 37 Dimensions: 5.08 × 2.54 × 2.54 cm Weight: 500 g Power Requirements: None (passive connector) Key Features Tool-free mating and demating Direct endface access for fiber cleaning Compact form factor with minimal footprint Lightweight construction Quick-release mechanism for field and lab use Typical Applications Optical Time Domain Reflectometer (OTDR) instruments Optical Spectrum Analyzer (OSA) systems Fiber optic testing and measurement Optical test equipment interconnection Compatibility & Integration The J0617B integrates with Anritsu OTDR models MW9070, MW9080, MW9081D, MW9083A, MW9082, MW9090, and S3310D. It is also compatible with the Anritsu ACCESS Master MT9083A/B/C series OTDRs. Cross-platform compatibility extends to Agilent instruments including J7230A, J7232A, J2126A, and J2127A (equivalent to Agilent P/N 1005-0999) and JDSU/Acterna equipment (equivalent to BN 2150/00.51). The J0617B is one variant within Anritsu's series of quick-release optical connectors, which includes SC, ST, LC, and DIN connector options.

J0617B Characteristics / Specifications

PARAMETER	VALUE
Model	J0617B
Brand	Anritsu
Catalog Title	Anritsu J0617B FC Quick Release Optical Connector - Option 37
Sku	J0617B
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	J0617B
Manufacturer Line	Anritsu
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	J0617B
Brand	Anritsu
Catalog Title	Anritsu J0617B FC Quick Release Optical Connector - Option 37
Sku	J0617B
Product Class	catalog accessory or spare
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	J0617B
Manufacturer Line	Anritsu
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.