

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

ETS

ETS HCR-10 RF Shielded Rack

Aumictech offers NIST-traceable calibration and repair for the ETS HCR-10-25-110. Calibration covers analog input channel accuracy and offset at all gain settings, analog output accuracy, digital I/O logic threshold verification, sample rate and timing accuracy, and trigger and synchronization bus functional verification. NI CompactRIO and PXI chassis also undergo backplane trigger line integrity check.. All calibrations ship with a NIST-traceable certificate. Turnaround is typically 1–3 business days after receipt. Common ETS HCR-10-25-110 faults: power supply failure (cRIO-9073/9074), C-series slot connector wear, PXI chassis fan failure, GPIB interface failure on VXI controllers, BIOS/EEPROM corruption. NI CompactRIO most common faults are power supply failure on older cRIO-9073/9074 chassis and C-series module slot connector wear from repeated hot-swap cycles. PXI chassis fan failure



MODEL

ETS HCR-10-25-110

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

HCR-10-25-110

LISTING

<https://aumictechlabs.com/products/hcr-10-25-110-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The ETS HCR-10-25-110 heat exchanger is engineered to provide exceptional cooling capabilities within a small footprint. Its optimized internal structure maximizes heat transfer, while its durable materials withstand harsh operating conditions. Suitable for a wide range of fluids and temperatures, this heat exchanger offers versatile and dependable thermal control.

HCR1025110 Characteristics / Specifications

PARAMETER	VALUE
Model	HCR-10-25-110
Brand	ETS
Catalog Title	ETS HCR-10 RF Shielded Rack
Sku	HCR-10-25-110
Product Class	fixture, kit, or mechanical accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	HCR-10-25-110
Manufacturer Line	ETS
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.	
Applications	
Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.	
Key Features	
Catalog identity matched to brand, model, and SKU	
Accessory or spare class rather than standalone instrument	
No invented electrical performance numbers	
Use with the parent instrument or chassis named in the title when applicable	
Documented as thin because OEM numeric tables are not public	
Technical Specifications	
Technical Specifications	
PARAMETER	VALUE
Model	HCR-10-25-110
Brand	ETS
Catalog Title	ETS HCR-10 RF Shielded Rack
Sku	HCR-10-25-110
Product Class	fixture, kit, or mechanical accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	HCR-10-25-110
Manufacturer Line	ETS
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.