

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

ERICSSON

Ericsson FSU925 Fusion Splicer

The Ericsson FSU925 is a fiber fusion splicer in the Ericsson FSU/FSM family. OEM Ericsson FSU925 literature covers core/cladding alignment fusion splicing for single fiber (and ribbon on FSM-16R) with arc fusion, proof test, and heat shrink protection. Documentation Type: OEM Ericsson FSU925 listing Alignment Class: Ericsson FSU925 alignment on the sheet Typical Loss Class: FSU925 typical splice loss on the sheet Documentation Type: OEM Ericsson FSU925 listing Alignment Class: Ericsson FSU925 alignment on the sheet Typical Loss Class: FSU925 typical splice loss on the sheet Cycle Time Class: FSU925 splice/heat time on the sheet



MODEL

Ericsson FSU925

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

FSU925

LISTING

<https://aumictechlabs.com/products/fsu925-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Ericsson FSU 925 Fiber Switch Unit is engineered for fiber optic signal switching within telecommunications infrastructures. This unit enables seamless routing and management of optical signals, enhancing network reliability and efficiency. It is suitable for use in environments requiring solid and dependable data transmission.

FSU925 Characteristics / Specifications

PARAMETER	VALUE
Model	FSU925
Instrument Type	fusion splicer
Family	Ericsson FSU/FSM
Manufacturer	Ericsson
Form Factor	portable fusion splicer
Application Class	fiber splicing
System Role	fusion splicer
Use Case	telecom OSP and premises
Documentation Type	OEM Ericsson FSU925 listing
Splice Class	arc fusion
Alignment Class	Ericsson FSU925 alignment on the sheet
Fiber Class	SM/MM on the FSU925 sheet
Typical Loss Class	FSU925 typical splice loss on the sheet
Cycle Time Class	FSU925 splice/heat time on the sheet
Heater Class	protection sleeve heater
Proof Class	tensile proof test
Battery Class	FSU925 battery cycles on the sheet
Display Class	FSU925 fiber view on the sheet
Brand Lineage	Ericsson
Literature	Ericsson FSU925 fusion splicer literature
Operating Temperature Class	FSU925 ambient on the sheet
Mass Class	FSU925 mass on the sheet
Electrode Class	FSU925 electrode life on the sheet
Wind Class	FSU925 wind protection on the sheet
Connector Class	fiber holders/sheath clamps

PARAMETER	VALUE
Operating temperature	Class: FSU925 ambient on the sheet

General Specifications & Supplementary Characteristics

PARAMETER	VALUE
Operating temperature	Class: FSU925 ambient on the sheet
Operating Temperature	Class: FSU925 ambient on the sheet
Operating Temperature Class	FSU925 ambient on the sheet
Mass Class	FSU925 mass on the sheet
Electrode Class	FSU925 electrode life on the sheet
Wind Class	FSU925 wind protection on the sheet
Connector Class	fiber holders/sheath clamps Notes From Ericsson FSU925 fusion splicer listings in the FSU/FSM family. Typical dB loss, cycle time, and electrode life are on the FSU925 sheet; do not invent dB figures.

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	FSU925
Instrument Type	fusion splicer
Family	Ericsson FSU/FSM
Manufacturer	Ericsson
Form Factor	portable fusion splicer
Application Class	fiber splicing
System Role	fusion splicer
Use Case	telecom OSP and premises
Documentation Type	OEM Ericsson FSU925 listing
Splice Class	arc fusion
Alignment Class	Ericsson FSU925 alignment on the sheet
Fiber Class	SM/MM on the FSU925 sheet
Typical Loss Class	FSU925 typical splice loss on the sheet
Cycle Time Class	FSU925 splice/heat time on the sheet
Heater Class	protection sleeve heater
Proof Class	tensile proof test
Battery Class	FSU925 battery cycles on the sheet
Display Class	FSU925 fiber view on the sheet
Brand Lineage	Ericsson
Literature	Ericsson FSU925 fusion splicer literature
Operating Temperature Class	FSU925 ambient on the sheet
Mass Class	FSU925 mass on the sheet
Electrode Class	FSU925 electrode life on the sheet
Wind Class	FSU925 wind protection on the sheet
Connector Class	fiber holders/sheath clamps

Notes

From Ericsson FSU925 fusion splicer listings in the FSU/FSM family. Typical dB loss, cycle time, and electrode life are on the FSU925 sheet; do not invent dB figures.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.