

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

EXFO

Exfo FOA-32 ST Fiber Optic Adapter

No invented electrical performance numbers Use with the parent instrument or chassis named in the title when applicable Documented as thin because OEM numeric tables are not public Catalog Title: Exfo FOA-32 ST Fiber Optic Adapter Use with the parent instrument or chassis named in the title when applicable Documented as thin because OEM numeric tables are not public Catalog Title: Exfo FOA-32 ST Fiber Optic Adapter Product Class: adapter, pod, or probe accessory



MODEL

Exfo FOA-32

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

FOA-32

LISTING

<https://aumictechlabs.com/products/foa-32-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Exfo FOA-32 is a fixed optical attenuator meticulously engineered for single-mode fiber systems, delivering a precise level of optical power reduction. Essential for testing and optimizing optical network performance, this attenuator guarantees high accuracy and consistent results. Its durable construction and compact form factor make it an excellent choice for diverse environments, from controlled laboratory settings to demanding field operations. This reliable tool ensures optimal signal levels and precise power management in fiber optic networks.

FOA Characteristics / Specifications

PARAMETER	VALUE
Model	FOA-32
Brand	Exfo
Catalog Title	Exfo FOA-32 ST Fiber Optic Adapter
Sku	FOA-32
Product Class	adapter, pod, or probe accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	FOA-32
Manufacturer Line	Exfo
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	FOA-32
Brand	Exfo
Catalog Title	Exfo FOA-32 ST Fiber Optic Adapter
Sku	FOA-32
Product Class	adapter, pod, or probe accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	FOA-32
Manufacturer Line	Exfo
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.