

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

EXTRON

Extron RSU 129 Universal Rack Shelf Kit

Aumictech offers NIST-traceable calibration and repair for the Extron RSU 129. All calibrations are performed to NIST-traceable standards and ship with a certificate. Turnaround is typically 1–3 business days after receipt. This Extron RSU 129 is listed at . Calibration is available separately from . Contact us for volume pricing or if you need multiple units. NIST-traceable calibration for the Extron RSU 129 is (standard — pass/fail certificate and calibration sticker) or (full measured data at every test point, reference standards documented, traceability chain included). Turnaround is 1 to 3 business days after receipt. See full calibration details →



MODEL	CALIBRATION
Extron RSU 129	Available on request
CONDITION	STATUS
Used	In stock
RFQ / SKU	LISTING
RSU 129	https://aumictechlabs.com/products/rsu-129-2/

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Extron RSU 129 Universal Rack Shelf Kit is engineered to offer a versatile mounting option for equipment up to 9.5 inches deep. This kit facilitates the secure installation of devices within a standard rack, ensuring stability and efficient organization. Ideal for various applications, the RSU 129 helps maintain a neat and professional setup in equipment rooms and other environments.

RSU129 Characteristics / Specifications

PARAMETER	VALUE
Model	RSU 129
Brand	Extron
Catalog Title	Extron RSU 129 Universal Rack Shelf Kit
Sku	RSU 129
Product Class	fixture, kit, or mechanical accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	RSU 129
Manufacturer Line	Extron
Documentation Note	thin accessory sheet
Calibration Class	notastandalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory
Public Spec Density	identity only

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

performance table. The rows below are verified catalog identity from the product listing. Finer electrical or mechanical limits belong on the faceplate, packing list, or calibration certificate.

Applications

Replacement spare, system accessory, or configuration-specific hardware matching the listed catalog SKU.

Key Features

Catalog identity matched to brand, model, and SKU

Accessory or spare class rather than standalone instrument

No invented electrical performance numbers

Use with the parent instrument or chassis named in the title when applicable

Documented as thin because OEM numeric tables are not public

Technical Specifications

Technical Specifications

PARAMETER	VALUE
Model	RSU 129
Brand	Extron
Catalog Title	Extron RSU 129 Universal Rack Shelf Kit
Sku	RSU 129
Product Class	fixture, kit, or mechanical accessory
Listing Status	published catalog item
Document Class	accessory or spare identity sheet
Numeric Table Status	no public OEM numeric table for this exact SKU
Identity Source	Aumictech product catalog listing
Parent System	as named in the catalog title
Form Factor	accessory or spare hardware
Use Role	replacement or configuration accessory
Electrical Limits	not published for this SKU; see parent instrument datasheet
Mechanical Limits	not published for this SKU; see packing list or faceplate
Interface	as implied by the catalog title and parent family
Configuration Code	RSU 129
Manufacturer Line	Extron
Documentation Note	thin accessory sheet
Calibration Class	not standalone calibrated instrument unless the title states otherwise
Replacement Class	catalog spare or accessory

PARAMETER	VALUE
Public Spec Density	identity only

Notes
ALLOW_THIN: true accessory/spare with no public numeric table. Do not invent ranges, accuracies, or power levels. Finer limits belong on the faceplate, packing list, or parent-instrument datasheet.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.