

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 12, 2026

FUJIKURA

Fujikura CT-04B High Precision Fiber Cleaver

Aumictech offers NIST-traceable calibration and repair for the Fujikura CT-04B. All calibrations are performed to NIST-traceable standards and ship with a certificate. Turnaround is typically 1-3 business days after receipt. This Fujikura CT-04B is listed at . Calibration is available separately from . Contact us for volume pricing or if you need multiple units. NIST-traceable calibration for the Fujikura CT-04B is (standard — pass/fail certificate and calibration sticker) or (full measured data at every test point, reference standards documented, traceability chain included). Turnaround is 1 to 3 business days after receipt. See full calibration details →



MODEL	CALIBRATION
Fujikura CT-04B	Available on request
CONDITION	STATUS
Used	In stock
RFQ / SKU	LISTING
CT-04B	https://aumictechlabs.com/products/ct-04b-2/

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Fujikura CT-04B High Precision Fiber Cleaver is engineered to deliver superior cleaving performance for optical fibers. It incorporates a rotating blade mechanism that maximizes blade lifespan and maintains consistent cleave quality. This cleaver is suitable for a wide range of fiber types, ensuring versatility in different applications. The CT-04B's user-friendly design and precise cleaving capabilities make it an essential tool for technicians and engineers working with fiber optic systems. Its solid construction ensures durability and reliable performance in demanding field conditions.

Features & description

From manufacturer datasheet

Fujikura CT-04B — Repair & Calibration Service

Aumictech offers NIST-traceable calibration and repair for the Fujikura CT-04B. All calibrations are performed to NIST-traceable standards and ship with a certificate. Turnaround is typically 1–3 business days after receipt. Standard Cal Pass/fail cert + NIST sticker Cal with Data Full NIST cert with measured values [Request Calibration](#) → [Request Repair Quote](#) →

Fujikura CT-04B price

This Fujikura CT-04B is listed at . Calibration is available separately from . Contact us for volume pricing or if you need multiple units.

Fujikura CT-04B calibration cost

NIST-traceable calibration for the Fujikura CT-04B is (standard — pass/fail certificate and calibration sticker) or (full measured data at every test point, reference standards documented, traceability chain included). Turnaround is 1 to 3 business days after receipt. See full calibration details →

Unit notes

The Fujikura CT-04B High Precision Fiber Cleaver is engineered to deliver superior cleaving performance for optical fibers. It incorporates a rotating blade mechanism that maximizes blade lifespan and maintains consistent cleave quality. This cleaver is suitable for a wide range of fiber types, ensuring versatility in different applications. The CT-04B's user-friendly design and precise cleaving capabilities make it an essential tool for technicians and engineers working with fiber optic systems. Its solid construction ensures durability and reliable performance in demanding field conditions.

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Aumictech offers NIST-traceable calibration and repair for the Fujikura CT-04B. All calibrations are performed to NIST-traceable standards and ship with a certificate. Turnaround is typically 1-3 business days after receipt.

This Fujikura CT-04B is listed at . Calibration is available separately from . Contact us for volume pricing or if you need multiple units.

NIST-traceable calibration for the Fujikura CT-04B is (standard – pass/fail certificate and calibration sticker) or (full measured data at every test point, reference standards documented, traceability chain included). Turnaround is 1 to 3 business days after receipt. See full calibration details →

Fujikura CT-04B – Repair & Calibration Service

Aumictech offers NIST-traceable calibration and repair for the Fujikura CT-04B. All calibrations are performed to NIST-traceable standards and ship with a certificate. Turnaround is typically 1-3 business days after receipt.

Standard Cal Pass/fail cert + NIST sticker Cal with Data Full NIST cert with measured values

[Request Calibration](#) → [Request Repair Quote](#) →

Fujikura CT-04B price

This Fujikura CT-04B is listed at . Calibration is available separately from . Contact us for volume pricing or if you need multiple units.

Fujikura CT-04B calibration cost

NIST-traceable calibration for the Fujikura CT-04B is (standard – pass/fail certificate and calibration sticker) or (full measured data at every test point, reference standards documented, traceability chain included). Turnaround is 1 to 3 business days after receipt. See full calibration details →

Unit notes

The Fujikura CT-04B High Precision Fiber Cleaver is engineered to deliver superior cleaving performance for optical fibers. It incorporates a rotating blade mechanism that maximizes blade lifespan and maintains consistent cleave quality. This cleaver is suitable for a wide range of fiber types, ensuring versatility in different applications. The CT-04B's user-friendly design and precise cleaving capabilities make it an essential tool for technicians and engineers working with fiber optic systems. Its solid construction ensures durability and reliable performance in demanding field conditions.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 12, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.