

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 15, 2026

INSTEK/GW

GW Instek GPC Series Triple Output Power Supply

GW Instek GPC Series Triple Output DC Power Supply The GW Instek GPC series is a triple-output analog DC power supply family. OEM GPC-series listings describe two variable DC outputs plus a fixed 5 V output for general laboratory and production bench power. Typical GPC-3030 class family members provide dual 0–30 V / 0–3 A tracking outputs plus 5 V / 3 A; exact ratings are model-specific on the GPC faceplate. Bench dual tracking DC plus 5 V logic power for analog/digital circuit development. Instrument Type: Triple output DC power supply

The GW Instek GPC series is a triple-output analog DC power supply family. OEM GPC-series listings describe two variable DC outputs plus a fixed 5 V output for general laboratory and production bench power. Typical GPC-3030 class family members provide dual 0–30 V / 0–3 A tracking outputs plus 5 V / 3 A; exact ratings are model-specific on the GPC faceplate. Bench dual tracking DC plus 5 V logic power for analog/digital circuit development. Instrument Type: Triple output DC power supply Output Class: two variable DC outputs plus fixed 5 V



MODEL

Instek/GW GPC

CALIBRATION

Available on request

CONDITION

Used

STATUS

In stock

RFQ / SKU

GPC

LISTING

<https://aumictechlabs.com/products/gpc-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Instek/GW GPC series power supply delivers dependable DC power for a variety of electronic projects. With adjustable voltage and current outputs, It has the flexibility needed for circuit

testing, component evaluation, and general lab use. Its compact design saves valuable bench space, while the clear display ensures accurate readings.

GPC Characteristics / Specifications

PARAMETER	VALUE
Model	GPC
Instrument Type	Triple output DC power supply
Output Class	two variable DC outputs plus fixed 5 V
Family Example	GPC-3030 class dual 0 to 30 V / 0 to 3 A plus 5 V / 3 A
Manufacturer	GW Instek
Literature	GW Instek GPC series triple output power supply listings
Family	GW Instek GPC DC supplies
Brand Lineage	GW Instek
Form Factor	benchtop triple output DC supply
System Role	laboratory DC power
Use Case	dual tracking plus 5 V logic
Documentation Type	OEM GPC series listing
Year Class	GPC series
Application Class	DC power
Vendor Path	GW Instek
Tracking Class	dual variable tracking on GPC class
Fixed Output Class	5 V
Documentation Class	OEM GPC catalog
Control Class	analog front panel
Companion Role	GPC-3030 class family
Operating Mode	CV/CC DC
Instrument Class	DC power supply
Meter Class	analog or digital GPC meters
Enclosure Class	GPC bench chassis
Power Class	triple output DC

PARAMETER	VALUE
Display Class	GPC series metering

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	GPC
Instrument Type	Triple output DC power supply
Output Class	two variable DC outputs plus fixed 5 V
Family Example	GPC-3030 class dual 0 to 30 V / 0 to 3 A plus 5 V / 3 A
Manufacturer	GW Instek
Literature	GW Instek GPC series triple output power supply listings
Family	GW Instek GPC DC supplies
Brand Lineage	GW Instek
Form Factor	benchtop triple output DC supply
System Role	laboratory DC power
Use Case	dual tracking plus 5 V logic
Documentation Type	OEM GPC series listing
Year Class	GPC series
Application Class	DC power
Vendor Path	GW Instek
Tracking Class	dual variable tracking on GPC class
Fixed Output Class	5 V
Documentation Class	OEM GPC catalog
Control Class	analog front panel
Companion Role	GPC-3030 class family
Operating Mode	CV/CC DC
Instrument Class	DC power supply
Meter Class	analog or digital GPC meters
Enclosure Class	GPC bench chassis
Power Class	triple output DC
Display Class	GPC series metering

Notes

From GW Instek GPC series listings (triple-output DC family; GPC-3030 class 2×0–30 V/3 A + 5 V/3 A). Exact voltage/current of a given GPC unit is on that unit's faceplate/model suffix page.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 15, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.