

**Aumictech**

Test & measurement • bought, sold, repaired, calibrated


Data Sheet

August 13, 2026

KEYSIGHT / AGILENT / HP

Keysight / Agilent / HP 0950-2119 Power Supply

The Keysight/Agilent/HP 0950-2119 is a switching power supply engineered to deliver regulated power to HP 9000 Series 300 workstations and associated computing environments. Built as a dedicated power distribution module, this unit has the stable electrical output required for sustained operation of enterprise-class computer systems in research, development, and manufacturing settings. Designed to supply regulated power output for HP 9000 Series 300 computing platforms Manufacturing and test environments requiring reliable system-level power distribution Integrated within HP 9000 Series 300 computer architectures The 0950-2119 is a critical power delivery component for legacy HP computing ecosystems, ensuring voltage stability and current delivery necessary for uninterrupted system operation.



MODEL

**Keysight / Agilent /
HP 0950-2119**

CALIBRATION

**Available on
request**

CONDITION

Used

STATUS

In stock

RFQ / SKU

0950-2119

LISTING

[https://aumictechlabs.c
om/products/0950-2119
-2/](https://aumictechlabs.com/products/0950-2119-2/)

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 • 811210 • 541380

This unit

The Keysight/Agilent/HP 0950-2119 is a switching power supply engineered to deliver regulated power to HP 9000 Series 300 workstations and associated computing environments. Built as a dedicated power distribution module, this unit has the stable electrical output required for sustained operation of enterprise-class computer systems in research, development, and manufacturing settings. Technical Specifications Power Supply Type Switching power supply architecture Electrical Characteristics Designed to supply regulated power output for HP 9000

Series 300 computing platforms Key Features Switching topology for efficient power conversion Regulated output suitable for demanding computing environments Purpose-built integration with HP 9000 Series 300 infrastructure Typical Applications Desktop and workstation power delivery in HP 9000 Series 300 systems Laboratory and R&D environments utilizing compatible HP computing platforms Manufacturing and test environments requiring reliable system-level power distribution Compatibility & Integration Supported Systems HP 9000 Series 300 Workstations (including models 310, 320) Integrated within HP 9000 Series 300 computer architectures The 0950-2119 is a critical power delivery component for legacy HP computing ecosystems, ensuring voltage stability and current delivery necessary for uninterrupted system operation.

09502119 Characteristics / Specifications

PARAMETER	VALUE
Model	0950-2119
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	Power supply
Alias	0950-2119
Function	internal switching PSU
Form	power supply assembly
HP Series	0950 power supplies
Related 0950 21	companion PSU board in this catalog
Related 0950 32	E8401A VXI PSU
Related 0950 22	E1401B high-power PSU
Status	HP service part
Installation	parent PSU location; mains disconnected
Documentation	parent service PSU 0950-2119
Use	restore listed supply function
Identification	0950-2119
Compatibility	instruments calling 0950-2119
Input	AC mains per silkscreen
Outputs	rails per silkscreen
Cooling	parent airflow
Safety	lethal mains and DC
ESD	PSU PCA
Monitoring	parent PSU/fault if supported
NotABenchtop Supply	instrument PSU
Calibration	parent after swap
Duty	continuous in parent

PARAMETER

VALUE

Rails

read silkscreen; do not invent amperes Notes Identity from HP 0950-2119 power supply. Rail voltages/currents are on the silkscreen and parent service. Do not invent amp ratings.

09502119 Specifications

PARAMETER	VALUE
Applications	Internal PSU replacement where marked 0950-2119
Restore listed rails after silkscreen match	HP 0950-series service spare
Key Features	0950-2119 power supply
Technical Specifications	Model: 0950-2119
Notes	Identity from HP 0950-2119 power supply. Rail voltages/currents are on the silkscreen and parent service. Do not invent amp ratings.

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	0950-2119
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	Power supply
Specifications	
PARAMETER	VALUE
Alias	0950-2119
Function	internal switching PSU
Form	power supply assembly
Specifications	
PARAMETER	VALUE
HP Series	0950 power supplies
Related 0950 2125	companion PSU board in this catalog
Related 0950 3276	E8401A VXI PSU
Specifications	
PARAMETER	VALUE
Related 0950 2283	E1401B high-power PSU
Status	HP service part
Installation	parent PSU location; mains disconnected
Specifications	
PARAMETER	VALUE
Documentation	parent service PSU 0950-2119
Use	restore listed supply function
Identification	0950-2119

Specifications

PARAMETER	VALUE
Compatibility	instruments calling 0950-2119
Input	AC mains per silkscreen
Outputs	rails per silkscreen

Specifications

PARAMETER	VALUE
Cooling	parent airflow
Safety	lethal mains and DC
ESD	PSU PCA

Specifications

PARAMETER	VALUE
Monitoring	parent PSU/fault if supported
NotABenchtop Supply	instrument PSU
Calibration	parent after swap

Duty: continuous in parent

Rails: read silkscreen; do not invent amperes

Notes

Identity from HP 0950-2119 power supply. Rail voltages/currents are on the silkscreen and parent service. Do not invent amp ratings.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 13, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.