

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 13, 2026

KEYSIGHT / AGILENT / HP

Keysight / Agilent / HP 44480A Terminal Block

HP Agilent 44480A Terminal Block for 3488A Switch Family The HP 44480A is a terminal block for 3488A switch/control plug-in cards in the 44480-series (10-channel GP switch family).

This listing is the terminal block. Field wiring only. The HP 44480A is a terminal block for 3488A switch/control plug-in cards in the 44480-series (10-channel GP switch family). This listing is the terminal block. Field wiring only.



MODEL

**Keysight / Agilent /
HP 44480A**

CALIBRATION

**Available on
request**

CONDITION

Used

STATUS

In stock

RFQ / SKU

44480A

LISTING

[https://aumictechlabs.c
om/products/44480a-
2/](https://aumictechlabs.com/products/44480a-2/)

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Keysight/Agilent/HP 44480A Terminal Block is a screw terminal interface designed to connect external wiring from transducers and measurement devices to relay option assemblies within Keysight instrumentation systems. It is the connection terminal block for the 44470A 10-Channel Relay Multiplexer Module, which integrates into the 3488A Switch/Control Unit, enabling organized signal routing with low thermal offset characteristics suitable for precision low-level applications. Technical Specifications Voltage handling: Up to 250V Current per channel: Up to 2A Power per channel: Up to 60W Apparent power per channel: Up to 125VA Thermal offset: Low (suitable for precision applications) Termination type: Screw terminal block Compatible wire gauge: 18 AWG and larger (smaller gauge wires must be bundled within 4 inches of terminal block) Key Features Screw terminal block design for field wiring integration Low thermal offset

characteristics for sensitive measurement circuits Break-before-make switching capability on associated 44470A modules Multiple channels close mode operation Four-wire ohm measurement support via paired 44470A module configuration in card pair mode Includes parallel port board Typical Applications Transducer and sensor signal conditioning Relay-based signal switching and routing Multi-channel measurement systems requiring organized external connections Low-level DC and AC signal measurement applications Four-wire resistance measurements Compatibility & Integration Primary use: 44470A 10-Channel Relay Multiplexer Module System platform: 3488A Switch/Control Unit Related terminal block products: Keysight E1586A, Keysight 44725A, HP E1345A, NI SCB-68A

Features & description

From manufacturer datasheet

Applications

- 3488A GP switch field landing

44480A Characteristics / Specifications

PARAMETER	VALUE
Model	44480A
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	Terminal Block
Alias	44480A; HP 44480A
Parent Family	3488A switch/control 4448x plugins
Parent Card Class	44480A 10-channel general-purpose switch (card vs block: this listing is the terminal)
Function	field wiring terminal
Form	terminal block
Related 44481A	VHF switch terminal (this catalog)
Related 44484A	terminal block (this catalog)
Related 44492A	reed relay multiplexer card
Host	3488A mainframe
NotARelay Card	block on this listing
Voltage Class	250 V class 3488 GP family typical
Current Class	2 A class GP family typical
Status	HP 3488A accessory EOL
Installation	mates to 44480-series card
Documentation	3488A/44480 terminal
Use	replace damaged terminals
Compatibility	44480 family card
ESD	handle with card
Identification	44480A
Wiring	GP switch channels Notes Terminal-block identity from HP 44480A in the 3488A family. If a 44480A relay card is present, use the 10-channel GP switch sheet for volts/amps. This listing is the terminal.

44480A Specifications

PARAMETER	VALUE
HP Agilent 44480A Terminal Block for 3488A Switch Family	Overview
Applications	- 3488A GP switch field landing
Key Features	- Terminal 44480A
Technical Specifications	Model: 44480A

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	44480A
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	Terminal Block
Specifications	
PARAMETER	VALUE
Alias	44480A; HP 44480A
Parent Family	3488A switch/control 4448x plugins
Parent Card Class	44480A 10-channel general-purpose switch (card vs block: this listing is the terminal)
Specifications	
PARAMETER	VALUE
Function	field wiring terminal
Form	terminal block
Related 44481A	VHF switch terminal (this catalog)
Specifications	
PARAMETER	VALUE
Related 44484A	terminal block (this catalog)
Related 44492A	reed relay multiplexer card
Host	3488A mainframe
Specifications	
PARAMETER	VALUE
NotARelay Card	block on this listing
Voltage Class	250 V class 3488 GP family typical
Current Class	2 A class GP family typical

Specifications

PARAMETER	VALUE
Status	HP 3488A accessory EOL
Installation	mates to 44480-series card
Documentation	3488A/44480 terminal

Specifications

PARAMETER	VALUE
Use	replace damaged terminals
Compatibility	44480 family card
ESD	handle with card

Identification: 44480A

Wiring: GP switch channels

Notes

Terminal-block identity from HP 44480A in the 3488A family. If a 44480A relay card is present, use the 10-channel GP switch sheet for volts/amps. This listing is the terminal.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 13, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.