

**Aumictech**

Test & measurement · bought, sold, repaired, calibrated

Data Sheet

August 13, 2026

KEYSIGHT / AGILENT / HP

Keysight / Agilent / HP E4208D VXI SCSI Disk Module

HP Agilent E4208D VXI SCSI Disk Module 4 GB The HP/Agilent E4208D is a 1-slot C-size VXI SCSI disk module for the Broadband Series Test System (BSTS). It provides mass storage for BSTS controllers: a 4 GB SCSI hard drive, a 3.5 inch 1.44 MB floppy, and two SCSI interface connectors. Family members E4208A/B/C/D share the C-size 1-slot disk role with increasing disk capacity through the letter suffix. Often shipped with HP-UX and BSTS system software. Not a general-purpose VXI computer; it is the disk/SCSI storage plug-in for the BSTS mainframe. The HP/Agilent E4208D is a 1-slot C-size VXI SCSI disk module for the Broadband Series Test System (BSTS). It provides mass storage for BSTS controllers: a 4 GB SCSI hard drive, a 3.5 inch 1.44 MB floppy, and two SCSI interface connectors. Family members E4208A/B/C/D share the C-size 1-slot disk role with increasing disk capacity through the letter suffix. Often shipped with HP-UX and BSTS system software. Not a general-purpose VXI computer; it is the disk/SCSI storage plug-in for the BSTS mainframe. HP-UX / BSTS software restore on E4208D media

**MODEL****Keysight / Agilent /
HP E4208D****CALIBRATION****Available on
request****CONDITION****Used****STATUS****In stock****RFQ / SKU****E4208D****LISTING**<https://aumictechlabs.com/products/e4208d-2/>

NIST-traceable cal

SAM registered

30-day returns

NAICS 423690 · 811210 · 541380

This unit

The Keysight/Agilent/HP E4208D is a C-size, 1-slot VXI SCSI disk module engineered for data storage and retrieval in VXI-based instrumentation systems. It has reliable storage capability for data acquisition, signal processing, and automated test environments where efficient data management is critical. The module features an integrated SCSI hard drive with a SCSI interface for data transfer and comes with a 1.44MB floppy drive for supplemental storage and data handling tasks. Technical Specifications Physical & Form Factor Module Size: C-size, 1-slot VXI format Interface: SCSI interface connectors Secondary Storage: 1.44MB floppy drive Storage Integrated SCSI hard drive with multiple capacity options Pre-loaded operating system support (HP-UX) System Architecture Designed for VXIbus system integration Member of HP Broadband Series Test System (BSTS) family Key Features Direct SCSI interface integration for fast data transfer Pre-configured with HP-UX operating system on select units Floppy drive support for portable data management and backup Compact C-size form factor fits standard VXI chassis Single 1-slot chassis occupancy for efficient space utilization Typical Applications Automated test and measurement environments Signal processing and data analysis systems Data acquisition platforms requiring persistent storage Instrumentation control and logging systems HP Broadband Series Test System deployments Compatibility & Integration The E4208D integrates into VXI chassis and works within VXIbus-based instrumentation architectures. It is specified as part of the HP Broadband Series Test System product family, positioning it for demanding test applications requiring reliable onboard storage. The module's SCSI connectivity enables integration with VXI controller platforms and peripheral storage networks commonly deployed in test laboratories and manufacturing environments.

E4208D Characteristics / Specifications

PARAMETER	VALUE
Model	E4208D
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	VXI SCSI Disk Module
Series	E4208 BSTS disk
Alias	E4208D; HP E4208D; E4208-64015 family
VXI Size	C-size
Slot Width	1 slot
Hard Drive Capacity	4 GB SCSI
Floppy	3.5 inch 1.44 MB
SCSI Connectors	2
Host System	HP Broadband Series Test System (BSTS)
Family A	E4208A earlier smaller disk
Family B	E4208B
Family C	E4208C
Family D	E4208D 4 GB class
Function	mass storage and SCSI I/O, not a CPU
Form	C-size VXI plug-in
Operating System Class	HP-UX / BSTS software on disk
Ship Weight Class	about 8 lb each (reseller)
Status	HP BSTS service module
Installation	C-size VXI slot; SCSI cabling to host
Cooling	VXI chassis airflow
Power	VXI backplane
Documentation	E4208 BSTS disk module
Compatibility	E4208 / BSTS family

PARAMETER	VALUE
Use	restore listed disk/SCSI function
Not E22	E2251 is M-Module carrier
Identification	silkscreen E4208D Notes Specs from HP/Agilent E4208D BSTS C-size VXI SCSI disk identity (1-slot, 4 GB HDD, 1.44 MB floppy, 2 SCSI). ConfirmDversus A/B/C capacity and installed HP-UX image.

Full OEM specifications

Complete technical content extracted from the manufacturer datasheet. Sparse OEM tables are reconstructed as tables below; other text is preserved as paragraphs.

Specifications	
Specifications	
PARAMETER	VALUE
Model	E4208D
Manufacturer	Hewlett Packard / Agilent / Keysight
Instrument Type	VXI SCSI Disk Module
Specifications	
PARAMETER	VALUE
Series	E4208 BSTS disk
Alias	E4208D; HP E4208D; E4208-64015 family
VXI Size	C-size
Specifications	
PARAMETER	VALUE
Slot Width	1 slot
Hard Drive Capacity	4 GB SCSI
Floppy	3.5 inch 1.44 MB
Specifications	
PARAMETER	VALUE
SCSI Connectors	2
Host System	HP Broadband Series Test System (BSTS)
Family A	E4208A earlier smaller disk
Specifications	
PARAMETER	VALUE
Family B	E4208B
Family C	E4208C
Family D	E4208D 4 GB class

Specifications

PARAMETER	VALUE
Function	mass storage and SCSI I/O, not a CPU
Form	C-size VXI plug-in
Operating System Class	HP-UX / BSTS software on disk

Specifications

PARAMETER	VALUE
Ship Weight Class	about 8 lb each (reseller)
Status	HP BSTS service module
Installation	C-size VXI slot; SCSI cabling to host

Specifications

PARAMETER	VALUE
Cooling	VXI chassis airflow
Power	VXI backplane
Documentation	E4208 BSTS disk module

Specifications

PARAMETER	VALUE
Compatibility	E4208 / BSTS family
Use	restore listed disk/SCSI function
Not E2251	E2251 is M-Module carrier

Identification: silkscreen E4208D

Notes

Specs from HP/Agilent E4208D BSTS C-size VXI SCSI disk identity (1-slot, 4 GB HDD, 1.44 MB floppy, 2 SCSI). Confirm versus A/B/C capacity and installed HP-UX image.

Available from Aumictech

Used and refurbished unit evaluated in-house. Calibration: Available on request. Used · In stock.

Request a quote: sales@aumictech.com · +1 (484) 841-9341

Aumictech

788 S 500 E, Pleasant Grove, UT 84062
sales@aumictech.com · +1 (484) 841-9341
<https://aumictechlabs.com>

NIST-traceable calibration · SAM registered ·
30-day returns
NAICS 423690 · 811210 · 541380
Generated August 13, 2026

Technical content from manufacturer specifications. Unit photo/stock from Aumictech listing when available. Specifications subject to OEM documentation and unit condition.